

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>						
1. REPORT DATE (DD-MM-YYYY) 24-03-2005		2. REPORT TYPE FINAL		3. DATES COVERED (From - To) 01-JAN-2000 through 31-DEC-2004		
4. TITLE AND SUBTITLE Development of Oceanographic Sampling Networks Using Autonomous Gliding Vehicles				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER N00014-00-1-0256		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) David M. Fratantoni				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution 360 Woods Hole Road Woods Hole, MA 02543				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Regional Office Boston 495 Summer Street, Room 627 Boston, MA 02210-2109				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE - DISTRIBUTION IS UNLIMITED						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT Our long-term goal is to develop a relocatable, sustainable, infrastructure-free ocean observing system composed of low-cost, high-endurance vehicles with near-global range and a modular sensor payload. Particular emphasis is placed on the development of adaptive sampling strategies and the automated control of large glider fleets. This program has two components. The first deals with the development of a high - endurance environmentally-powered AUV and the demonstration of moderate term (weeks to months) operation of multi-vehicle autonomous glider networks in blue water environments. The second component results from a request by the U.S. Naval Oceanographic Office for a technology demonstration of WHOI glider fleet operations in the western tropical Pacific Ocean. The objectives of this component were to demonstrate the potential for integration of glider derived ocean measurements into NAVO operational products, forecast models, and model validation efforts						
15. SUBJECT TERMS AUV, autonomous glider, physical oceanography						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT UU	b. ABSTRACT UU	c. THIS PAGE UU			David M. Fratantoni	
					19b. TELEPHONE NUMBER (Include area code) 508-289-2908	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

**Development of Oceanographic Sampling Networks
using Autonomous Gliding Vehicles
-and-
Demonstration of WHOI Glider Fleet Operations in the Tropical
Western Pacific for the Naval Oceanographic Office**

David M. Fratantoni
Physical Oceanography Department
Woods Hole Oceanographic Institution
Woods Hole, MA 02543
Phone: (508) 289-2908 Fax: (508) 457-2181
Email: dfratantoni@whoi.edu

Award Number: N00014-00-1-0256
<https://glider.whoi.edu>

LONG-TERM GOALS

Our long-term goal is to develop a relocatable, sustainable, infrastructure-free ocean observing system composed of low-cost, high-endurance vehicles with near-global range and a modular sensor payload. Particular emphasis is placed on the development of adaptive sampling strategies and the automated control of large glider fleets.

OBJECTIVES

This program has two components. The first deals with the development of a high-endurance environmentally-powered AUV and the demonstration of moderate-term (weeks to months) operation of multi-vehicle autonomous glider networks in blue-water environments. The second component results from a request by the U.S. Naval Oceanographic Office for a technology demonstration of WHOI glider fleet operations in the western tropical Pacific Ocean. The objectives of this component were to demonstrate the potential for integration of glider-derived ocean measurements into NAVO operational products, forecast models, and model validation efforts

APPROACH

We collaborated on the development and field-testing of both battery- and environmentally-powered gliders constructed by Webb Research Corporation. Environmentally-powered glider development proceeds slowly as a succession of prototypes are built, tested at sea, critiqued, and improved.

At the request of NAVO, the WHOI Glider Lab performed a demonstration of the open-ocean observational capabilities of a fleet of autonomous gliders in manner consistent with requirements for routine NAVO field operations. Specifically, we demonstrated the operational and scientific utility of a fleet of gliders functioning as a synthetic moored

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

array (SMA). This approach provides an efficient means for a single survey ship to rapidly obtain spatially distributed time-series data at low cost and with minimal need for on-site technical support. The experiment was performed in May 2004 in the western tropical Pacific in a region east of the Luzon Strait and near the subtropical front. The science focus was the observation of mesoscale variability in velocity, hydrographic structure, and sound speed over a 100 km x 100 km domain.

WORK COMPLETED

Initial sea trials of an environmentally-powered glider were performed in the Bahamas (Tongue of the Ocean) during winter 2003. After analyzing the results of these trials a next-generation prototype has been designed and constructed. This vehicle has been tested at sea and should begin routine operations during late winter 2005. Major improvements include addition of a servo-controlled rudder for improved lateral control, reallocation of internal volume, and a new carbon-composite hull.

We have completed and thoroughly field-proven an integrated glider control and data management system. This system is now in routine use in our laboratory and has been linked with a web-based front-end for near-real-time data distribution via the internet for integration with assimilating numerical models. We have also developed a desktop-based mission simulator which allows efficient prototyping of adaptive sampling algorithms and multiple-vehicle interaction with arbitrary, realistic environmental forcing (winds, tides, currents, etc.). Iridium satellite phone is now the primary means of bidirectional vehicle-to-shore communications. The system is robust and capable of providing truly global operation of autonomous networks.

RESULTS

A synthetic moored array composed of autonomous gliders was used to characterize mid-ocean mesoscale variability in a 100 km x 100 km domain east of Luzon Strait in May 2004 (Figure 1). Each of five gliders (Figure 2) in the array maintained geographic position while profiling between the surface and 200 m. The resulting time series at each array position, including slab velocity estimates every 2 hours and 200 m high-resolution CTD/optical profiles every 40 minutes, may be interpreted in the same manner as a physically-moored chain of instruments. The typical equivalent watch circle of a glider performing a synthetic mooring mission was less than 3 km, comparable to that expected from a bottom-moored surface mooring in similar (6000 m) water depth. The study region was characterized by energetic eddies of O(100 km) horizontal scale (Figure 3). Temperature, salinity, and velocity time series exhibit strong semidiurnal and diurnal fluctuations. Similar temporal variability is also evident in a deep maximum in chlorophyll fluorescence observed near 120-130 m. (see Figure 4). These results will be presented at the Fall 2004 AGU meeting with NAVO colleagues Mike Toner and Mike Carnes.

IMPACT/APPLICATIONS

Continued development of multi-vehicle network operations will enable efficient measurement of transient ocean phenomena such as mesoscale eddies and fronts and streamline distributed environmental observations in remote or hostile locations. A network of gliding vehicles will supply, in an efficient and cost-effective manner, high-quality, near-real-time environmental information for operational ocean/atmosphere forecasting and model validation.

RELATED PROJECTS

An Autonomous Glider Network for the Monterey Bay Predictive Skill Experiment / AOSN-II (D.M. Fratantoni, N00014-02-1-0846)

Optimal Asset Distribution for Environmental Assessment and Forecasting Based on Observations, Adaptive Sampling, and Numerical Prediction (ONR MURI award to Princeton University, subcontract to D.M. Fratantoni/WHOI)

The Physical Context for Layered Organization in the Coastal Ocean (D. M. Fratantoni, N00014-04-1-0250)

REFERENCES

Bellingham, J.G., P.E. Chandler, Y. Chao, F. Chavez, R.E. Davis, D.M. Fratantoni, S. Haddock, N.E. Leonard, M.A. McManus, J.D. Paduan, S.R. Ramp, and A. Robinson, 2004. AOSN Monterey Bay Experiment: Observing and Predicting the Coastal Ocean. Presentation at the *84th American Meteorological Society Annual Meeting, Symposium on Forecasting the Weather and Climate of the Atmosphere and Ocean, 20th Conference on Weather Analysis and Forecasting/16th Conference on Numerical Weather Prediction, 84th AMS Annual Meeting, January 10-15, 2004, Seattle WA* (abstract).

Bellingham, J.G., D.M. Fratantoni, R.E. Davis, S. Ramp, F. Chavez, S. Haddock, M. McManus, M. Moline, J. Paduan, A. Healey, N. Leonard, P. Chandler, A.R. Robinson, Y. Chao, R. Bachmayer, J.F. Case, J.D. Doyle, P. Haley, H. Christy, S. Johnston, P.F. Lermusiaux, W.G. Leslie, S.J. Majumdar, J. Marsden, J. Ryan, J. Sherman, I. Shulman, and H. Thomas, 2004. AOSN in Monterey Bay: Observation and Adaptive Sampling with Multiple Platforms. Presentation at the *American Society of Limnology and Oceanography/The Oceanographic Society 2004, Ocean Research Conference, February 15-20, 2004, Honolulu, HI* (abstract).

Fiorelli, E., N.E. Leonard, R. Bachmayer, P. Bhatta, and D.M. Fratantoni, 2004. Adaptive Ocean Sampling Using Coordinated Autonomous Underwater Vehicle Fleets: The Autonomous Ocean Sampling Network in Monterey Bay 2002 and Beyond. Presentation at the *American Society of Limnology and Oceanography/The Oceanographic Society 2004, Ocean Research Conference, February 15-20, 2004, Honolulu, HI* (abstract).

Fratantoni, D.M. and R.E. Davis, 2004. Autonomous Underwater Glider Performance During AOSN-II. Presentation at the *American Society of Limnology and Oceanography/The Oceanographic Society 2004, Ocean Research Conference, February 15-20, 2004, Honolulu, HI* (abstract).

Robinson, A.R., J.G. Bellingham, J.G., Y. Chao, F. Chavez, R.E. Davis, D.M. Fratantoni, S. Haddock, N.E. Leonard, M.A. McManus, J. Paduan, S. Ramp, R. Bachmayer, P. Bhatta, P. Chandler, P. Choi, J.K. Fiorelli, P.J. Haley, P.F. Lermusiaux, W.G. Leslie, Z. Li, J.E. Marsden, 2004. AOSN in Monterey Bay: Modeling and Predicting Multiple Scales for Adaptive Sampling. Presentation at the *American Society of Limnology and Oceanography/The Oceanographic Society 2004, Ocean Research Conference, February 15-20, 2004, Honolulu, HI* (abstract).

Leonard, N.E., R. Bachmayer, P. Bhatta, E. Fiorelli, D. Paley, and D.M. Fratantoni. Design and Implementation of Multi-AUV Control Methodologies for Adaptive Sampling in a Dynamic and Uncertain Environment. To be presented at the *IEEE Oceanic Engineering Society, Autonomous Underwater Vehicles 2004, AUV 2004, June 17, 2004, Sebasco Estates, ME* (paper).

Fratantoni, D.M. and R.E. Davis, 2004. Autonomous underwater glider performance during AOSN-II. *Eos, Transactions, American Geophysical Union*, **84**(52), Abstract OS22D-01, 2003. *AGU Ocean Sciences Meeting, 26-30 January 2004, Portland, OR*.

Fratantoni, D. M., J. M. Lund, M.S. Carnes, and M.S. Toner, 2004. Eddies in the western tropical Pacific observed using a synthetic moored array of autonomous gliders. *AGU Fall Meeting, December 2004, San Francisco. CA*




Figure 1: Location of synthetic moored array of autonomous gliders deployed in May 2005. Five gliders were deployed in a cross-shaped array approximately 600 km east of Luzon Strait.



Figure 2: Glider deployment from the stern of the USNS Bruce Heezen in the western tropical Pacific. The vehicle was lowered to the water using a winch and then set free using a quick release on the hoisting line.




Figure 3: Array location relative to synoptic mesoscale eddy field observed with blended satellite altimetry (TOPEX, Jason, ERS). Upper panels are a zoom on the array location (indicated by green box in lower panel) showing strong eddies of $O(100 \text{ km})$ scale. The array was able to maintain its formation even as geostrophic velocities exceeded 50 cm/s .

we08

2004/05/07 (128)
2004/05/16 (137)

2004/05/08/091926
2004/05/16/014331




Figure 4: Time series of (top to bottom) temperature, salinity, potential density, chlorophyll fluorescence, and slab (0-200 m) velocity measured by one of the synthetically-moored gliders. Note the large-amplitude semi-diurnal internal waves at depths near 150 m. A deep chlorophyll maximum appears at a similar depth.